| POPULATION ESTIMA | TES | LONG | G-TERM CARE | | LOCAL HEA | LTH DEPARTM | ENTS |
|--|------------------|---|---------------------------|------------------------------|---|-------------|----------------------|
| Total 2001 Population | | Community Option | | | | | Per 10.000 |
| Population per square mil County ranking in state | e 32 | | Clionts | Costs | Staffing - FTE Total staff Administrative Professional staf | Number | Population |
| | | COP | 46 | \$164,447 | Administrative | 10 | 9.4 9.4 |
| Age | Total 5,070 | MA Waiver * CIP1A | 7 | \$338,289 | Professional state Technical/Parapro | f / | 2./ |
| 0-14 | 1,790 1,130 | CIP1B | 35 17 | \$500,393 \$203,782 | Technical/Parapro Support staff | | 1 |
| 25-29 | 1,220 | MA Walver * CIP1A CIP1B CIP2 COP-W | 55 | \$311,245 | Funding | ¢.coc 005 | Per capita |
| 15-19 | 1,940 | Brain Injury | 3 | \$112,853 | Local Taxes | \$252,984 | \$24.66 \$10.28 |
| 40-44 | 1,970 3,330 | i Total COP/Wvrs | 133 | \$1,631,009 | LICENSED | | |
| 55-64 | | \$126,524 of were paid as | | waiver costs /overmatch | Tyne | Canacity | Facilities |
| 75-84 | 1,460 520 | using COP fund not included | ds. This a | mount is | Bed & Breakfast Camps | 12 | 4 |
| Total 12,360 12,370 | 24,740 | İ | | į | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools | 695 | 33 |
| Age Female Male | | <pre>* Waiver costs include fede</pre> | s reported ral funding | nere 5. | . 0013 | 23 | 1 |
| 0-17 3,020 3,260 18-44 4,040 4,240 | 8.300 | | Clients | Costs I | Restaurants Vending | | 62 j 0 j |
| 45-64 3,020 2,990 | 6,010 | Eligible and Waiting | 60 | n/a | o o | | |
| 65+ 2,280 1,870 Total 12,360 12,370 | | | | | WIC PA | DTICIDANTO | |
| Poverty Estimates for 2000 | | (Family Care in | ot provided | (| WIC PA | KIICIPANIS | Ì |
| Estimate All ages 2,462 | (C.1.+/-) 132 | Note: Eligible | and waitin | ng clients | Pregnant/Postpart | um | Number 377 |
| All ages 2,462 10.1% Ages 0-17 812 13.1% | (5%) 62 | will be phase Waivers as a | ed into the vailable | COP and MA | Infants Children, age 1-4 Total | | 363 571 |
| 13.1% | (8%) | | | į | Total | | 1,311 |
| EMPLOYMENT - | | | | 1 | CANCER | INCIDENCE | |
| Average wage for jobs cover by unemployment compensatio | ea n \$25,053 | Home Health Ago Patients Patients per : | encres | 157 157 | | | 1999 |
| Note: based on place of wor | Annual | | | | Breast | | Number 22 |
| Labor Force Estimates Average | | Nursing Homes Licensed beds | | 3 j 200 i | Cervical Colorectal | | 7 19 |
| Civilian Labor Force | 10,504 | Occupancy rate | e Dec 31 | 95.5% | Trachea, Bronchus Prostate | , Lung | |
| Civilian Labor Force Number employed Number unemployed Unemployment rate | 951 | Residents age | 65 or olde | er | Other sites Total | | 59 161 |
| onemptoyment rate | 9.1% | per 1,000 por | Julation | 45 | IULAL | | 101 |

| | | | NATA | LITY | | | | |
|---|--|--------------------------------------|--|--|---|--|-------------------------------------|----------------------------------|
| TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rat | e | 252 10.2 54.8 | Birth Order First Second Third Fourth or higher Unknown | Births 90 83 | Percent 36 33 | Marital Status of Mother Married Not married Unknown | 173 | Percent 69 31 0 |
| Live births with repo congenital anomalies Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | Births 4 3 186 27 32 0 | 2 1 74 11 13 0 | First Prenatal Visit 1st trimester 2nd trimester 3rd trimester No visits Unknown Number of Prenatal Care visits No visits 1-4 5-9 10-12 | Births 197 50 1 3 1 Births 3 7 | Percent 78 20 <.5 1 <.5 Percent 1 3 | Education of Mother Elementary or le Some high school High school Some college College graduate Unknown Smoking Status of Mother Smoker Nonsmoker Unknown | 53 99 61 34 1 Births | 2 21 39 24 13 <.5 |
| Race of Mother | 241 0 | Percent 96 | Low Birthweight (under 2,500 gm) Births Percent 11 4.6 | 1st Tr Births 190 7 | Trimest imester Percent 79 64 | Births Percent 48 20 | Births 3 | Percent 1 18 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown | Fe Births 0 12 22 72 71 46 20 9 | Prtility Rate 21 86 126 122 61 21 10 | Low Birthweight (under 2,500 gm) Births Percent | 1st Tr | Trimest imester Percent 42 | er of First Prenata | l Visit | /Unknown Percent 5 3 |
| Teenage Births | 34 | 42 | * Not | reported | : age or r | ace category has le | ss than 5 | births |

| MORBIDITY | | | MO | RTALITY | | | |
|---|---|------------------|--------------|---|---|--|--|
| | Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | | |
| Disease Number Campylobacter Enteritis <5 Giardiasis <5 Hepatitis Type A 0 | TOTAL DEATHS Crude Death Ra | ate | 275 1,110 | Selected Underlying Cause Heart Disease (total) Ischemic heart diseas | 82 331 İ | | |
| Hepatitis Type A 0 Hepatitis Type B** <5 Hepatitis NANB/C 16 Legionnaire's 0 Lyme 5 | Age 1-4 5-14 15-19 | Deaths 3 1 | | Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast | 71 287 g 17 . | | |
| Measles 0 Meningitis, Aseptic <5 Meningitis, Bacterial 0 Mumps 0 | 20-34 35-54 55-64 | 34 | 373 | Cerebrovascular Disea: Lower Resp. Disease Pneumonia & Influenza Accidents | se 18 . 17 . | | |
| Pertussis <5 Salmonellosis <5 Shigellosis 0 | 75-84 85+ | 73 70 | 4,996 | Motor vehicle Diabetes Infectious & Parasition | 7 . j 15 . j | | |
| * 2001 provisional data ** Includes all positive HBsAg | Infant Mortality Total Infant | Deaths 3 | Rate | Suicide * Rate for female brea on female popula | ast cancer based | | |
| <pre>test results Sexually Transmitted Disease</pre> | Neonatal Postneonatal Unknown | 2 | • | ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH | | | |
| Chlamydia Trachomatis 38 | Race of Mother | 2 | | Alcohol | 5 . | | |
| Genital Herpes 7 Gonorrhea <5 Syphilis 0 | White Black Other | | | Alcohol Other Drugs Both Mentioned | 2 . | | |
| | Unknown | : | | MOTOR VEHIC | _E CRASHES | | |
| IMMUNIZATIONS | Birthweight <1,500 gm 1,500-2,499 gm | 1 | | Note: These data are based on location of crash, not on residence. | | | |
| Children in Grades K-12 by Compliance Level Compliant 4,313 Non-compliant 72 Percent Compliant 98.4 | 1,500-2,499 gm 2,500+ gm Unknown | 2 | : | Type of Motor Vehicle Crash Total Crashes Alcohol-Related | Persons Persons Injured Killed 284 10 37 5 | | |
| Percent Compliant 98.4 | Perinatal Mortality | Deaths | Rate | With Citation: | 25 1 1 | | |
| | Total Perinatal Neonatal Fetal | 2 1 | | For Speeding Motorcyclist Bicyclist | 64 1 13 0 1 0 | | |
| | | 1 | • | Pedestrian | 1 1 1 | | |

Per Average Charge | Per Average Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Alcohol-Related
Total 57 2.3 5.0 \$5,394
18-44 21 2.5 3.4 \$3,259
45-64 27 4.5 5.6 \$5,000 Injury-Related: All Total 317 12.8 5.1 \$15,172 <18 32 5.1 4.0 \$16,804 18-44 69 8.3 5.3 \$17,627 45-64 81 13.5 4.7 \$14,538 65+ 135 32.6 5.5 \$13,910 \$194 \$12 \$86 \$8 \$147 \$22 Pneumonia and Influenza
Total 124 5.0 4.3 \$8,478
<18 20 3.2 2.6 \$4,216
45-64 17 . . .
65+ 78 18.8 4.6 \$8,827 \$196 \$42 \$453 Injury: Hip Fracture

Total 37 1.5 6.5 \$19,259 \$29 65+ 29 7.0 6.4 \$18,740 \$131 \$13 \$166 Injury: Poisonings
Total 20 0.8 2.7 \$6,206 \$5
18-44 4 Total 81 3.3 4.8 \$11,363 45-64 18 . . . 65+ 63 15.2 5.2 \$11,641 \$37 Chronic Obstructive Pulmonary Disease Psychiatric

 sychiatric

 Total
 192
 7.8
 9.6
 \$8,353

 <18</td>
 35
 5.6
 11.7
 \$9,515

 18-44
 102
 12.3
 9.4
 \$7,646

 45-64
 31
 5.2
 9.5
 \$9,246

 65+
 24
 5.8
 7.8
 \$8,513

 Total 81 3.3 3.5 \$7,490 \$24
<18 4
18-44 4
45-64 27 4.5 3.5 \$8,086 \$36
65+ 46 11.1 3.6 \$7,195 \$80

Drug-Related
Total 25 1.0 4.6 \$4,642 \$5
18-44 18 \$65 \$53 \$94 \$48 \$49 Coronary Heart Disease Total 189 7.6 4.1 \$18,745 45-64 49 8.2 2.7 \$14,733 65+ 129 31.1 4.7 \$20,710 \$143 I \$120 Total Hospitalizations \$644 Total 3,331 134.5 4.1 \$9,880 \$1,329 <18 472 75.1 3.2 \$5,449 \$409 18-44 789 95.2 3.4 \$7,551 \$719 45-64 760 126.5 4.1 \$11,971 \$1,514 65+ 1,310 315.9 4.9 \$11,667 \$3,686 Malignant Neoplasms (Cancers): All Total 136 5.5 5.8 \$17,285 \$95 | 18-44 9 . . . | 45-64 53 8.8 5.4 \$19,887 \$175 | 65+ 68 16.4 6.7 \$16,337 \$268 ----- PREVENTABLE HOSPITALIZATIONS* ------Neoplasms: Female Breast (rates for female population) Neoplasms: Lung
Total

13 . . | * Hospitalizations for conditions where timely and effective | ambulatory care can reduce the likelihood of hospitalization.| iabetes | The definition of preventable hospitalizations in 2001 | Total 34 1.4 4.6 \$8,746 \$12 | is consistent with the 1997 definition. | Please refer to the note at the bottom of this page in the Diabetes 1997 report for an explanation of the change made between 1996 and 1997.